

BAMBOO BIKE ASSEMBLY INSTRUCTIONS

First, gather together the tools you will need:



- . 1 x Phillips head screwdriver
- . 1 x small (rubber or padded) hammer
- . 2 x shifting spanners (1 x small 6", 1 x large)
- . 5 x spanners (size 15, 13, 12, 10, 8)
- . 1 x Allen key



Second, check that all bike components are in place before proceeding




1 Attach front and rear mud guards using nuts, bolts and washers




2

Attaching front mud guard to front fork



3

Slip chain over rear wheel cogs and slide rear wheel between chain stays




4

Slide bolt from one side of rear chain stay to the other through rear bike wheel hub




- 5** Attach in order:-
1. Rear foot rest
 2. Rear mud guard stay
 3. Fix bolt with nut and washers



6 Affix rear brake cable

Pass rear brake cable through rear wheel eyelet



Bolt rear break to eyelet



Attach brake clip to secure brake line


Tighten brake clip with bolt + nut

Tighten brake cable by pulling brake cable tightly through brake housing




7

Slide front wheel into front fork and tighten bolts evenly on front wheel to ensure it turns vertically



8

- . Slide handlebar pole into head tube and tighten
- . Adjust handle bar pole to correct handlebar height and tighten
- . Use Allen key to secure handle bars on handlebar pole



9

. Slide seat pole into seat tube

. Adjust seat pole to correct seat height and tighten



10

. Place chain over pedal cog

. Affix pedals to crank arm

. Tighten pedal bolt

